



MATERIAL SAFETY DATA SHEET

NICOBOND WETROOM WATERPROOFING MEMBRANE

INTRODUCTION

A quick drying, flexible waterproofing membrane for use in bathrooms, showers and wet rooms.

The information contained herein is under continuous review and liable to be modified from time to time. Customers should ensure that they have the most up to date information available.

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY

PRODUCT NAME	Nicobond Wetroom Waterproofing Membrane
SUPPLIER NAME	Nicholls and Clarke Group of Companies
ADDRESS	41 – 51 Freshwater Road Chadwell Heath, Romford Essex, RM8 1SP
TELEPHONE	020 8586 4600
FAX	020 8586 4646

2. COMPOSITION/INFORMATION ON INGREDIENTS

Composition Water based dispersion of synthetic polymer with additives.

3. HAZARDS IDENTIFICATION

None according to EU Directive 1999/45/EC

4. FIRST AID MEASURES

EYE CONTACT	May cause temporary irritation. Irrigate with water for 15 minutes, holding eyelid open. Seek medical attention.
SKIN CONTACT	Prolonged contact may cause irritation. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical attention if symptoms persist.
INHALATION	Remove to fresh air. Seek medical attention.
INGESTION	May cause nausea. Wash mouth out with water. Do not induce vomiting. Seek medical attention.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA	Product is not combustible.
EXPOSURE HAZARDS	None.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT	Refer to section 8.
ENVIRONMENTAL CONSIDERATIONS	Prevent product entering soil, drains and water courses.
SPILLAGE REMOVAL	Absorb on to an inert absorbent. Refer to section 13.

7. HANDLING & STORAGE

HANDLING	No special precautions necessary. Observe good housekeeping. Keep workplace well ventilated.
STORAGE	Store between +5°C and +30°C. Protect from frost and direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES	Provide good general ventilation in the workplace. Use LEV if product is sprayed.
RESPIRATORY PROTECTION	A suitable mask may be required particularly when spraying as the product contains low levels of volatile organic compounds which may evaporate during application and drying.
SKIN/HAND PROTECTION	Waterproof overalls and impermeable gloves recommended.
EYE PROTECTION	Eye protection recommended, e.g. safety glasses or goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM	Viscous liquid.
COLOUR	Light Blue
ODOUR	Characteristic.
BOILING POINT/RANGE	Approx 100°C.
VAPOUR PRESSURE	N/A
SOLUBILITY - WATER	Miscible in all proportions.
RELATIVE DENSITY	1.2 to 1.5.
PH	8 to 10
FLASH POINT	N/A
AUTO FLAMMABILITY	N/A

10. STABILITY AND REACTIVITY

STABILITY	The product is stable under ambient conditions of temperature and pressure.
MATERIALS TO AVOID	None.
HAZARDOUS DECOMPOSITION PRODUCTS	None.

11. TOXICOLOGICAL INFORMATION

Product represents no danger to health when properly handled under industrial conditions.

12. ECOLOGICAL INFORMATION

DEGRADATION/ELIMINATION	No data available.
BIOACCUMULATION	No evidence for bioaccumulation.
ECOTOXIC EFFECTS	No long term effects expected.

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Waste product should not be discharged directly into drains or watercourses without treatment.

14. TRANSPORTATION INFORMATION

Classification, Packaging & Labeling Requirements

AIR:	IMDG. CLASS:	Not Restricted
ROAD:	ADR CLASS:	Not Restricted
AIR:	IACO CLASS:	Not Restricted
RAIL:	RID CLASS:	Not Restricted

15. REGULATORY INFORMATION

None. Product not subject to labeling.

16. OTHER INFORMATION

While Nicholls and Clarke endeavours to ensure that all advice given relating to the use and/or application of our products (whether in this leaflet or otherwise) is both correct and useful, the information is based partly on data made available to us from other sources and is not guaranteed as accurate.

It is not intended in any way to be exhaustive or as a substitute for the customer's own product testing, evaluation and safety procedures.

If you have any queries over the suitability of safety precautions required for your particular application, please contact us and we will endeavour to assist you further. Customers who make use of the product without contacting us do so at their own risk.

The information contained in this leaflet is under continuous review and liable to be modified from time to time.

Revised: 14/11/08

Contact : K. Ody

e-mail:keith.ody@nichollsandclarke.com

Tel: 01782 833330

* Indicates revised data compared to previous version

Hazard Data Sheet

No : PST000

Revision No :0002

Dated : 27/11/2008